



Maximum Performance (<http://www.map-testing.com>)

John Koeller
Principal
Koeller & Company
Office 714.777.2744
Mobile 714.757.0679
Email jkoeller@map-testing.com

Bill Gauley
Principal
Gauley Associates, LTD.
Email bill@gauley.ca

MaP Search - Residential Toilets (Tank Type)

For Flushometer (Commercial)

Fixtures

or

or

(full or partial)

(example: XX-XXX)

Toilet Fixture Criteria/Ratings

MaP PREMIUM rated
 WaterSense Certified (EPA Standard)
 Single-Flush High Efficiency Toilet (HET)
 Dual-Flush High Efficiency Toilet (HET)

Fixture Features

All Floor Mounted Wall Mounted
 All 1 Piece Unit 2 Piece Unit

 Meets ADA bowl height
 All Gravity Fed Pressure Assist
 Rear Outlet

Search Commercial Flushometer

Download Toilet & Urinal Lists

Found 51 records.

Page 1 2 3 4 5 of 9 [Show all](#)

Manufacturer	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms
Model Name	Alessi Dot	Alessi Dot (wall-mount)	Alessi Dot (wall-mount)	Alessi Dot (wall-mount)	Alessi One (wall-mount)	Alessi One (wall-mount)
Model Number	8.2890.1: 8.2390.6 bowl, 82890.1 tank	8.2090.0 wall-mount bowl used with Geberit in-wall concealed 111.335 tank system	8.2090.8 wall-mount bowl used with Geberit in-wall concealed 111.335 tank system	8.2090.8 wall-mount bowl used with Geberit in-wall concealed 111.728 tank system	8.2097.8 wall-mount bowl used with Geberit in-wall concealed 111.335 tank system	8.2097.8 wall-mount bowl used with Geberit in-wall concealed 111.728 tank system
MaP Report No.	19-017	19-018	WS-27	27-042	WS-27	27-041
MaP Flush Score	>= 350	>= 350	>= 350	>= 600	>= 350	>= 600
WaterSense Certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified
Single-Flush HET						
Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET
Wall or Floor Mount	Floor Mounted	Wall Mounted	Wall Mounted	Wall Mounted	Wall Mounted	Wall Mounted
One or Two Piece	2 Piece Unit	2 Piece Unit	2 Piece Unit	2 Piece Unit	2 Piece Unit	2 Piece Unit
Bowl Shape	Special	Special	Special	Special	Special	Special
Meets ADA Height						
Gravity or Pressure	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed
Rear Outlet		Rear Outlet	Rear Outlet	Rear Outlet	Rear Outlet	Rear Outlet
Flapper Size	Flapper size 2in	Flapper size 2in				
MaP PREMIUM rated						



John Koeller
Principal
Koeller & Company
Office 714.777.2744
Mobile 714.757.0679
Email jkoeller@map-testing.com

Bill Gauley
Principal
Gauley Associates, LTD.
Email bill@gauley.ca

Manufacturer	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms
Model Name	Alessi One ADA	Alessi One ADA	Birova RF (one-piece)	Form	Form ADA (wall-mount)	Form RF (wall-mount)
Model Number	8.2097.8 wall-mount bowl used with Geberit in-wall concealed 111.335 tank system	8.2297.6 bowl, 8.2697.1 tank	8.2395.5 (one-piece)	8.2367.6 bowl, 8.2767.3 tank	8.2067.1 wall-mount bowl used with Geberit in-wall concealed 111.335 tank system	8.2067.1 wall-mount bowl used with Geberit in-wall concealed 111.728 tank system
MaP Report No.	19-020RN35	19-019RN35	27-040	19-021	19-022	27-039
MaP Flush Score	>= 500	>= 400	>= 500	>= 350	>= 350	>= 600
WaterSense Certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified
Single-Flush HET						
Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET
Wall or Floor Mount	Wall Mounted	Floor Mounted	Floor Mounted	Floor Mounted	Wall Mounted	Wall Mounted
One or Two Piece	2 Piece Unit	2 Piece Unit	1 Piece Unit	2 Piece Unit	2 Piece Unit	2 Piece Unit
Bowl Shape	Special	Special	Round bowl	Special	Special	Round bowl
Meets ADA Height	Meets ADA Height	Meets ADA Height			Meets ADA Height	
Gravity or Pressure	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed
Rear Outlet	Rear Outlet				Rear Outlet	Rear Outlet
Flapper Size	Flapper size 2in	Flapper size 2in	Flapper size 2in	Flapper size 2in	Flapper size 2in	
MaP PREMIUM rated						



John Koeller
Principal
Koeller & Company
Office 714.777.2744
Mobile 714.757.0679
Email jkoeller@map-testing.com

Bill Gauley
Principal
Gauley Associates, LTD.
Email bill@gauley.ca

Manufacturer	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms
Model Name	HiJet RF ADA (wall-mount)	HiJet RF ADA (wall-mount)	HiJet RF ADA (wall-mount)	HiJet RF ADA (wall-mount)	Kartell RF ADA (floor mount - 12-inch rough-in)	Kartell RF ADA (floor mount - 12-inch rough-in)
Model Number	8.2066.1 bowl, used with Geberit in-wall concealed 111.335 tank system	8.2066.1 bowl, used with Geberit in-wall concealed 111.728 tank system	8.2096.3 bowl, used with Geberit in-wall concealed 111.335 tank system	8.2096.3 bowl, used with Geberit in-wall concealed 111.728 tank system	8.2333.8 bowl, used with Geberit in-wall concealed 111.335 tank system	8.2333.8 bowl, used with Geberit in-wall concealed 111.728 tank system
MaP Report No.	36-092	36-091	WS-36	WS-36	36-085	36-084
MaP Flush Score	>= 600	>= 500	>= 350	>= 350	>= 400	>= 400
WaterSense Certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified
Single-Flush HET						
Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET
Wall or Floor Mount	Wall Mounted	Wall Mounted	Wall Mounted	Wall Mounted	Floor Mounted	Floor Mounted
One or Two Piece	2 Piece Unit	2 Piece Unit	2 Piece Unit	2 Piece Unit	2 Piece Unit	2 Piece Unit
Bowl Shape	Round bowl	Round bowl	Round bowl	Round bowl	Round bowl	Round bowl
Meets ADA Height	Meets ADA Height	Meets ADA Height	Meets ADA Height	Meets ADA Height	Meets ADA Height	Meets ADA Height
Gravity or Pressure	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed
Rear Outlet	Rear Outlet	Rear Outlet	Rear Outlet	Rear Outlet		
Flapper Size	Flapper size 2.5in	Flapper size 2.5in	Flapper size 2.5in	Flapper size 2.5in	Flapper size 2.5in	Flapper size 2.5in
MaP PREMIUM rated						



Maximum Performance (<http://www.map-testing.com>)

John Koeller
Principal
Koeller & Company
Office 714.777.2744
Mobile 714.757.0679
Email jkoeller@map-testing.com

Bill Gauley
Principal
Gauley Associates, LTD.
Email bill@gauley.ca

Manufacturer	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms
Model Name	Kartell RF ADA (floor mount - 12-inch rough-in)	Kartell RF ADA (wall-mount)	Kartell RF ADA (wall-mount)	LB3 Modern ADA	LB3 Modern ADA (wall-mount)	LB3 RF ADA (wall-mount)
Model Number	8.2333.8 bowl, used with Geberit in-wall concealed 8.2866.3 tank system	8.2033.8 bowl, used with Geberit in-wall concealed 111.335 tank system	8.2033.8 bowl, used with Geberit in-wall concealed 111.728 tank system	8.2468.8 bowl, 8.2868.3 tank	8.2068.8 wall-mount bowl used with Geberit in-wall concealed 111.335 tank system	8.2068.0 wall-mount bowl used with Geberit in-wall concealed 111.728 tank system
MaP Report No.	36-086	36-088	36-087	19-023RN35	19-024RN35	27-034
MaP Flush Score	>= 400	>= 400	>= 400	>= 600	>= 600	>= 500
WaterSense Certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified
Single-Flush HET						
Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET
Wall or Floor Mount	Floor Mounted	Wall Mounted	Wall Mounted	Floor Mounted	Wall Mounted	Wall Mounted
One or Two Piece	2 Piece Unit	2 Piece Unit	2 Piece Unit	2 Piece Unit	2 Piece Unit	2 Piece Unit
Bowl Shape	Round bowl	Round bowl	Round bowl	Special	Special	Round bowl
Meets ADA Height	Meets ADA Height	Meets ADA Height	Meets ADA Height	Meets ADA Height	Meets ADA Height	Meets ADA Height
Gravity or Pressure	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed
Rear Outlet		Rear Outlet	Rear Outlet		Rear Outlet	Rear Outlet
Flapper Size	Flapper size 2.5in	Flapper size 2.5in	Flapper size 2.5in	Flapper size 2in	Flapper size 2in	
MaP PREMIUM rated						



Maximum Performance (<http://www.map-testing.com>)

John Koeller
Principal
Koeller & Company
Office 714.777.2744
Mobile 714.757.0679
Email jkoeller@map-testing.com

Bill Gauley
Principal
Gauley Associates, LTD.
Email bill@gauley.ca

Manufacturer	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms
Model Name	Living City (wall-mount)	Living City ADA (wall-mount)	Mimo (wall-mount)	Mimo RF ADA (wall-mount)	MyLife	MyLife (wall-mount)
Model Number	8.2043.5 wall-mount bowl used with Geberit in-wall concealed 111.728 tank system	8.2043.9 wall-mount bowl used with Geberit in-wall concealed 111.335 tank system	8.2055.8 wall-mount bowl used with Geberit in-wall concealed 111.335 tank system	8.2055.0 wall-mount bowl used with Geberit in-wall concealed 111.728 tank system	8.2294.3 bowl, 8.2694.1 tank	8.2094.6 wall-mount bowl used with Geberit in-wall concealed 111.335 tank system
MaP Report No.	27-033	19-025RN35	19-026RN35	27-032	19-027	19-028
MaP Flush Score	>= 500	>= 600	>= 500	>= 500	>= 350	>= 350
WaterSense Certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified
Single-Flush HET						
Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET
Wall or Floor Mount	Wall Mounted	Wall Mounted	Wall Mounted	Wall Mounted	Floor Mounted	Wall Mounted
One or Two Piece	2 Piece Unit	2 Piece Unit	2 Piece Unit	2 Piece Unit	2 Piece Unit	2 Piece Unit
Bowl Shape	Special	Special	Special	Round bowl	Special	Special
Meets ADA Height		Meets ADA Height	Meets ADA Height	Meets ADA Height		
Gravity or Pressure	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed
Rear Outlet	Rear Outlet	Rear Outlet	Rear Outlet	Rear Outlet		Rear Outlet
Flapper Size		Flapper size 2in	Flapper size 2in		Flapper size 2in	Flapper size 2in
MaP PREMIUM rated						



Maximum Performance (<http://www.map-testing.com>)

John Koeller
Principal
Koeller & Company
Office 714.777.2744
Mobile 714.757.0679
Email jkoeller@map-testing.com

Bill Gauley
Principal
Gauley Associates, LTD.
Email bill@gauley.ca

Manufacturer	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms
Model Name	Mylife RF (wall-mount)	Mylife RF (wall-mount)	Palace ADA (floor-mount)	Palace ADA (wall-mount)	Palace ADA (wall-mount)	Palomba ADA
Model Number	8.2094.8 wall-mount bowl used with Geberit in-wall concealed 111.335 tank system	8.2094.8 wall-mount bowl used with Geberit in-wall concealed 111.728 tank system	8.2470.6 bowl, 8.2870.3 tank	8.2070.8 wall-mount bowl used with Geberit in-wall concealed 111.335 tank system	8.2070.8 wall-mount bowl used with Geberit in-wall concealed 111.728 tank system	8.2480.6 bowl, 8.2880.3 tank
MaP Report No.	WS-27	27-031	27-030	27-043	27-029	19-014RN35
MaP Flush Score	>= 350	>= 500	>= 800	>= 500	>= 500	>= 800
WaterSense Certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified
Single-Flush HET						
Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET
Wall or Floor Mount	Wall Mounted	Wall Mounted	Floor Mounted	Wall Mounted	Wall Mounted	Floor Mounted
One or Two Piece	2 Piece Unit	2 Piece Unit	2 Piece Unit	2 Piece Unit	2 Piece Unit	2 Piece Unit
Bowl Shape	Round bowl	Round bowl	Special	Special	Special	Special
Meets ADA Height			Meets ADA Height		Meets ADA Height	Meets ADA Height
Gravity or Pressure	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed
Rear Outlet	Rear Outlet	Rear Outlet		Rear Outlet	Rear Outlet	
Flapper Size			Flapper size 2in			Flapper size 2in
MaP PREMIUM rated						



Maximum Performance (<http://www.map-testing.com>)

John Koeller
Principal
Koeller & Company
Office 714.777.2744
Mobile 714.757.0679
Email jkoeller@map-testing.com

Bill Gauley
Principal
Gauley Associates, LTD.
Email bill@gauley.ca

Manufacturer	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms
Model Name	Palomba ADA (wall-mount)	Palomba RF ADA (wall-mount)	Pro	Pro (one-piece)	Pro ADA (wall-mount - compact)	Pro ADA (wall-mount)
Model Number	8.2080.8 wall-mount bowl used with Geberit in-wall concealed 111.335 tank system	8.2080.1 wall-mount bowl used with Geberit in-wall concealed 111.728 tank system	8.2495.8 bowl, 8.2695.3 tank	8.2395.3 (one-piece)	8.2095.0 wall-mount bowl used with Geberit in-wall concealed 111.335 tank system	2095.0: 8.2095.0 wall-mount bowl used with Geberit in-wall concealed 111.335 tank system
MaP Report No.	19-029RN35	27-028	19-030RN35	WS-27	19-032	19-031RN35
MaP Flush Score	>= 600	>= 600	>= 500	>= 350	>= 350	>= 800
WaterSense Certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified
Single-Flush HET				Single-Flush HET		
Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET		Dual-Flush HET	Dual-Flush HET
Wall or Floor Mount	Wall Mounted	Wall Mounted	Floor Mounted		Wall Mounted	Wall Mounted
One or Two Piece	2 Piece Unit	2 Piece Unit	2 Piece Unit	1 Piece Unit	2 Piece Unit	2 Piece Unit
Bowl Shape	Special	Round bowl	Special		Special	Special
Meets ADA Height	Meets ADA Height	Meets ADA Height			Meets ADA Height	Meets ADA Height
Gravity or Pressure	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed
Rear Outlet	Rear Outlet	Rear Outlet			Rear Outlet	Rear Outlet
Flapper Size	Flapper size 2in		Flapper size 2in		Flapper size 2in	Flapper size 2in
MaP PREMIUM rated						



Maximum Performance (<http://www.map-testing.com>)

John Koeller
Principal
Koeller & Company
Office 714.777.2744
Mobile 714.757.0679
Email jkoeller@map-testing.com

Bill Gauley
Principal
Gauley Associates, LTD.
Email bill@gauley.ca

Manufacturer	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms
Model Name	Pro ADA (wall-mount)	Pro RF (floor-mount)	Pro RF (wall-mount)	Pro RF (wall-mount)	Pro RF (wall-mount)	Pro RF ADA (wall-mount)
Model Number	8.2095.6 wall-mount bowl used with Geberit in-wall concealed 111.335 tank system	8.2295.1 floor-mount bowl used with Geberit in-wall concealed 111.335 tank system	8.2095.0 wall-mount bowl used with Geberit in-wall concealed 111.728 tank system	8.2095.2 wall-mount bowl used with Geberit in-wall concealed 111.728 tank system	8.2295.1 wall-mount bowl used with Geberit in-wall concealed 111.728 tank system	8.2095.6 wall-mount bowl used with Geberit in-wall concealed 111.728 tank system
MaP Report No.	27-045	27-044	27-038	27-037	27-035	27-036
MaP Flush Score	>= 800	>= 800	>= 400	>= 800	>= 800	>= 800
WaterSense Certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified	WaterSense certified
Single-Flush HET						
Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET
Wall or Floor Mount	Wall Mounted	Floor Mounted	Wall Mounted	Wall Mounted	Wall Mounted	Wall Mounted
One or Two Piece	2 Piece Unit	2 Piece Unit	2 Piece Unit	2 Piece Unit	2 Piece Unit	2 Piece Unit
Bowl Shape	Round bowl	Round bowl	Round bowl	Round bowl	Round bowl	Round bowl
Meets ADA Height	Meets ADA Height					Meets ADA Height
Gravity or Pressure	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed	Gravity Fed
Rear Outlet	Rear Outlet		Rear Outlet	Rear Outlet	Rear Outlet	Rear Outlet
Flapper Size						
MaP PREMIUM rated						



John Koeller
Principal
Koeller & Company
Office 714.777.2744
Mobile 714.757.0679
Email jkoeller@map-testing.com

Bill Gauley
Principal
Gauley Associates, LTD.
Email bill@gauley.ca

Manufacturer	Laufen Bathrooms	Laufen Bathrooms	Laufen Bathrooms
Model Name	Pro S RF ADA (wall-mount)	Pro S RF ADA (wall-mount)	Savoy EL (one-piece)
Model Number	8.2096.3 bowl, used with Geberit in-wall concealed 111.335 tank system	8.2096.3 bowl, used with Geberit in-wall concealed 111.728 tank system	8.2395.8 (one-piece)
MaP Report No.	36-090	36-089	27-027
MaP Flush Score	>= 400	>= 400	>= 800
WaterSense Certified	WaterSense certified	WaterSense certified	WaterSense certified
Single-Flush HET			
Dual-Flush HET	Dual-Flush HET	Dual-Flush HET	Dual-Flush HET
Wall or Floor Mount	Wall Mounted	Wall Mounted	Floor Mounted
One or Two Piece	2 Piece Unit	2 Piece Unit	1 Piece Unit
Bowl Shape	Round bowl	Round bowl	Elongated bowl
Meets ADA Height	Meets ADA Height	Meets ADA Height	
Gravity or Pressure	Gravity Fed	Gravity Fed	Gravity Fed
Rear Outlet	Rear Outlet	Rear Outlet	
Flapper Size	Flapper size 2.5in	Flapper size 2.5in	
MaP PREMIUM rated			

Page [1](#) [2](#) [3](#) [4](#) [5](#) of 9 [Show all](#)

IMPORTANT NOTE...

Important note regarding WaterSense® ('WS') qualified tank-type toilet fixture models: The WaterSense® certification protocol requires toilets to flush at least 350 grams of MaP test media. If a higher MaP score has not been achieved, the toilet model is listed with a score of 350. However, in those cases where a toilet model has achieved a higher score on the full MaP test, the actual score is indicated.